

PG2A

Dewatering Pumps



**WACKER
NEUSON**
all it takes!



2-inch dewatering pump for clear water removal

Clear clean water from your job site or swimming pool quickly with the PG2A dewatering pump. This simple, easy to use pump is designed to move water up to 158 gpm (600 l/min) with very little solids, up to .25-inch (6.5 mm). With its self-priming centrifugal pumping action and overall compact size, the pump is ideal for the contractor with the need for temporary water removal.

- Cast iron impeller and volute are wear resistant for long life and minimal service.
- Pump out vanes on back of impeller reduce debris accumulation and downtime while allowing greater productivity.
- Carbon ceramic mechanical seal teamed with reliable four-cycle engine with low oil shutdown provides for increased operating life.
- High strength lightweight die cast aluminum housing increases the years of trouble-free pump life. A heavy duty protective frame provides convenient carrying handles while adding extra protection for the pump.

PG2A Technical specifications

Dimensions

| | |
|--------------------------------|-----------------------|
| L x W x H | 18.9 x 14.8 x 15.5 in |
| L x W x H Shipping | 19.9 x 15.8 x 16.7 in |
| Diameter Suction and Discharge | 2 in |
| Operating weight | 55 lb |
| Shipping weight | 57 lb |

Operating data

| | |
|---------------------------|------------|
| Discharge Head | 88 ft |
| Discharge capacity | 169 US gpm |
| Suction height Lift | 25 ft |
| Solids diameter Max. Size | 0.25 in |

Engine / Motor

| | |
|-----------------------------|-----------------------------|
| Engine / Motor type | Air Cooled, Single Cylinder |
| Engine / Motor manufacturer | Honda |
| Engine / Motor | GX120W1B4 |
| Displacement | 7.2 in ³ |
| RPM / speed Max. Engine | 3,600 rpm |
| RPM / speed Operating | 3,600 rpm |
| Power Max. Rated | 3.5 hp |
| Power Rating Specification | SAE J1349 |
| Engine oil Capacity | 0.63 US qt |
| Fuel type | Gasoline |
| Fuel consumption | 0.34 US gal/h |
| Tank capacity Fuel | 2.6 US qt |
| Runtime | 1.9 h |

Please note: that product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions. Subject to alterations and errors excepted. Applicable also to illustrations.

Copyright © 2021 Wacker Neuson SE.